

INDEX TO VOLUME 89 (2003)

AUTHORS

- Anderson, Scot D. and Peter Pyle: A Temporal, Sex-Specific Occurrence Pattern Among White Sharks at the Southern Farallon Islands, California, 96-101.
- Aurioles-Gamboa, David, A. Martin, and S. Aguiniga.: Assimilation of Red Pelagic Red Crabs, : *Pleuroncodes planipes*, by Western Gulls, *Larus occidentalis*, 146-151.
- Beaman, Kent R.: see Goldberg, Bursey, and Beaman
- Berlowski, Brenda M.: see Nol, Brannian, Berlowski, Wolcott, and Rocke
- Bottorff, Richard L.: Records of the Exotic Freshwater Amphipod, *Crangonyx pseudogracilis*, in San Luis Obispo County, California, 197-200.
- Bowen, Mark D., and S. Mark Nelson.: Environmental Variables Associated with a Chinook Salmon Redd in Deer Creek, California, 176-186.
- Brannian, Roger E.: see Nol, Brannian, Berlowski, Wolcott, and Rocke
- Bursey, Charles R.: see Goldberg, Bursey, and Beaman
- Burton, Timothy S.: see Schaefer, Thayer, and Burton
- Carpenter, Mike.: see Wylie, Casazza, and Carpenter
- Cech, Joseph J., Jr.: see Myrick and Cech
- Clark, Howard O.: Responses of San Joaquin Kit Foxes to an Oil-Gas Well Fire, 102-105.
- Garrison, Barrett A., Robin L. Wachs, and Matthew L. Triggs.: Responses of Landbirds to Group Selection Logging in the Central Sierra Nevada, 155-175.
- Goldberg, Stephen R. Charles R. Bursey, and Kent R. Beaman: First Reported Occurrence of *Porocephalus crotali* (Pentastomida: Porocephalida) in the Santa Catalin Island Rattleless Rattlesnake, 51-53.
- Guisti, Gregory A., Robert J Keiffer, and Charles E. Vaughn: The Bird Community of an Oak Woodland Stream, 72-80.
- Hall, Lenwood W., Jr.: Historical Analysis of Diazinon from the San Joaquin River Watershed with Implications for Exceeding Water Quality Targets, 1-19.
- Hamill, Braelyn and Whittaker: see Bottorff, Hamill, and Hamill
- Harvey, Bret C.: see Nakamoto and Harvey
- Kazacos, Kevin R.: see Kimball, Young, Keith, Kazacos, and Sakanari
- Keiffer, Robert J.: see Guisti, Keiffer, and Vaughn
- Keith, Ron: see Kimball, Young, Keith, Kazacos, and Sakanari
- Kelly, John, T. and Peter Klimley: The Occurrence of the White Shark, *Carcharodon carcharias*, at the Point Reyes Headlands, California, 187-196.
- Kimball Valkyrie P., Danielle Young, Ron Keith, Kevin R. Kazacos, and Judy Sakanari: Occurrence of *Baylisascaris procyonis* in Marin, Sonoma, and Alameda Counties in Northern California, 46-50.
- Klimley, Peter: see Kelly and Klimley
- Kohlhorst, David W.: see Vu and Kohlhorst
- Marin, Alejandro.: see Aurioles-Gamboa, Marin, and Aguiniga
- Myrick, Christopher S. and Joseph J. Cech, Jr.: The Physiological Performance of Golden Trout at Water Temperatures of 10-19°C, 20-29.

INDEX TO VOLUME 89 (2003)

AUTHORS

- Anderson, Scot D. and Peter Pyle: A Temporal, Sex-Specific Occurrence Pattern Among White Sharks at the Southern Farallon Islands, California, 96-101.
- Aurioles-Gamboa, David, A. Martin, and S. Aguiniga.: Assimilation of Red Pelagic Red Crabs, : *Pleuroncodes planipes*, by Western Gulls, *Larus occidentalis*, 146-151.
- Beaman, Kent R.: see Goldberg, Bursey, and Beaman
- Berlowski, Brenda M.: see Nol, Brannian, Berlowski, Wolcott, and Rocke
- Bottorff, Richard L.: Records of the Exotic Freshwater Amphipod, *Crangonyx pseudogracilis*, in San Luis Obispo County, California, 197-200.
- Bowen, Mark D., and S. Mark Nelson.: Environmental Variables Associated with a Chinook Salmon Redd in Deer Creek, California, 176-186.
- Brannian, Roger E.: see Nol, Brannian, Berlowski, Wolcott, and Rocke
- Bursey, Charles R.: see Goldberg, Bursey, and Beaman
- Burton, Timothy S.: see Schaefer, Thayer, and Burton
- Carpenter, Mike.: see Wylie, Casazza, and Carpenter
- Cech, Joseph J., Jr.: see Myrick and Cech
- Clark, Howard O.: Responses of San Joaquin Kit Foxes to an Oil-Gas Well Fire, 102-105.
- Garrison, Barrett A., Robin L. Wachs, and Matthew L. Triggs.: Responses of Landbirds to Group Selection Logging in the Central Sierra Nevada, 155-175.
- Goldberg, Stephen R. Charles R. Bursey, and Kent R. Beaman: First Reported Occurrence of *Porocephalus crotali* (Pentastomida: Porocephalida) in the Santa Catalin Island Rattleless Rattlesnake, 51-53.
- Guisti, Gregory A., Robert J Keiffer, and Charles E. Vaughn: The Bird Community of an Oak Woodland Stream, 72-80.
- Hall, Lenwood W., Jr.: Historical Analysis of Diazinon from the San Joaquin River Watershed with Implications for Exceeding Water Quality Targets, 1-19.
- Hamill, Braelyn and Whittaker: see Bottorff, Hamill, and Hamill
- Harvey, Bret C.: see Nakamoto and Harvey
- Kazacos, Kevin R.: see Kimball, Young, Keith, Kazacos, and Sakanari
- Keiffer, Robert J.: see Guisti, Keiffer, and Vaughn
- Keith, Ron: see Kimball, Young, Keith, Kazacos, and Sakanari
- Kelly, John, T. and Peter Klimley: The Occurrence of the White Shark, *Carcharodon carcharias*, at the Point Reyes Headlands, California, 187-196.
- Kimball Valkyrie P., Danielle Young, Ron Keith, Kevin R. Kazacos, and Judy Sakanari: Occurrence of *Baylisascaris procyonis* in Marin, Sonoma, and Alameda Counties in Northern California, 46-50.
- Klimley, Peter: see Kelly and Klimley
- Kohlhorst, David W.: see Vu and Kohlhorst
- Marin, Alejandro.: see Aurioles-Gamboa, Marin, and Aguiniga
- Myrick, Christopher S. and Joseph J. Cech, Jr.: The Physiological Performance of Golden Trout at Water Temperatures of 10-19°C, 20-29.

- Nakamoto, Rodney J. and Bret C. Harvey.: Spatial, Seasonal, and Size-Dependent Variation in the Diet of Sacramento Pikeminnow in the Eel River, Northwestern California, 30-45.
- Nelson, S. Mark: see Bowen and Nelson
- Nol, Pauline, Roger E. Brannian, Brenda M. Berlowski, Mark J. Wolcott, and Tonie E. Roche.: New Host Record of Avian Tuberculosis in an American White Pelican, *Pelecanus erythrorhynchos*, 152-154.
- Pyle, Peter: see Anderson and Pyle
- Rocke, Tonie E.: see Nol, Brannian, Berlowski, Wolcott, and Rocke
- Sakanari, Judy: see Kimball, Young, Keith, Kazacos, and Sakanari
- Schaefer, Robert J., Douglas J. Thayer, and Timothy S. Burton.: Forty-One Years of Vegetation Change on Permanent Transects in Northeastern California, Implications for Wildlife, 55-71.
- Spina, Anthony P.: Habitat Associations of Steelhead Trout Near the Southern Extent of Their Range, 81-95.
- Thayer, Douglas, J.: see Schaefer, Thayer, and Burton
- Tognazzini, Marc T.: First Record of the Pacific Dog Snapper, *Lutjanus novemfasciatus*, in California, 201-202.
- Triggs, Matthew L.: see Barrett, Wachs, and Triggs
- Vaughn, Charles E.: see Guisti, Keiffer, and Vaughn
- Vu, Samantha and David W. Kohlhorst.: Mark Rate Loss in Hatchery-Reared Striped Bass, *Morone saxatilis*, in the Sacramento-San Joaquin Estuary, California, 128-138.
- Wachs, Robin L.: see Barrett, Wachs, and Triggs
- Wolcott, Mark J.: see Nol, Brannian, Berlowski, Wolcott, and Rocke
- Wydoski, Richard.: Fecundity and Recruitment Potential of Coastal Cutthroat Trout in Oregon and Washington, 107-127.
- Wylie, Glenn D., Michael L. Casazza, and Mike Carpenter.: Diet of Bullfrogs in Relation to Predation on Giant Garter Snakes at Colusa National Wildlife Refuge, 139-145.
- Young, Danielle: see Kimball, Young, Keith, Kazacos, and Sakanari

SUBJECT

- Amphipod, Freshwater: Occurrence, in San Luis Obispo County, California, 197-200
- Baylisascaris procyonis: Occurrence in Marin, Sonoma, and Alameda Counties, 46-50
- Bull Frogs: Diet of, in Relation to Predation on Giant Garter Snakes at Colusa National Wildlife Refuge, 139-145
- Chinook Salmon: Environmental Variables Associated with a Redd, in Deer Creek, California, 176-186
- Community, Bird: of an Oak Woodland Stream, 72-80
- Crabs, Red, Pelagic: Assimilation of, by Western Gulls, 146-151
- Diazinon: Historical Analysis from the San Joaquin River, 1-19
- Diet: of Bullfrogs in Relation to Predation on Giant Garter Snakes at Colusa National Wildlife Refuge, 139-145

- Dog Snapper, Pacific: First Record of, in California, 201-202
- Eel River: Spatial, Seasonal, and Size-Dependent Variation in the Diet of Sacramento Pikeminnow, 30-45
- Environmental Variables: Associated with a Chinook Salmon Redd in Deer Creek, California, 176-186
- Fecundity: and Recruitment Potential of Coastal Cutthroat Trout in Oregon and Washington, 107-127
- Giant Garter Snakes: Diet of Bullfrogs in Relation to Predation on, at Colusa National Wildlife Refuge, 139-145
- Golden Trout: Physiological Performance at Water Temperatures of 10-19°C, 20-29
- Gulls, Western: Assimilation of Pelagic Red Crabs by, 146-151
- Kit Fox, San Joaquin: Responses to an Oil-Gas Well Fire, 102-105
- Logging: Responses of Landbirds to, in the Central Sierra Nevada, 155-175
- Mark Loss Rate: in Hatchery-Reared Striped Bass, in, 128-138
- New Host Record: of Avian Tuberculosis in an American White Pelican, 152-154
- Occurrence: A Temporal, Sex-Specific Pattern Among White Sharks at the South Farallon Islands, California, 96-101
- Occurrence: Baylisascaris procyonis, in Marin, Sonoma, and Alameda Counties, 46-50
- Occurrence: First Record of the Pacific Dog Snapper, in California, 201-202
- Occurrence: Of the White Shark at the Point Reyes Headlands, California 187-196
- Occurrence: Porocephalus crotali, in Santa Catalina Island Rattleless Rattlesnake, 51-53
- Occurrence: Records of the Exotic Freshwater Amphipod, Crangonyx pseudogracilis, in San Luis Obispo County, California
- Physiological Performance: of Golden Trout, at Water Temperatures of 10-19°C, 20-29
- Pikeminnow, Sacramento: Spatial, Seasonal, and Size-Dependent Variations in the Diet of, in the Eel River, 30-45
- Protocephalus crotali: Occurrence in the Santa Catalina Island Rattleless Rattlesnake, 51-53
- Recruitment: Fecundity and Recruitment Potential of Coastal Cutthroat Trout in Oregon and Washington, 107-127
- Sacramento-San Joaquin Estuary: Mark Loss Rate in Hatchery-Reared Striped Bass in the, California, 128-138
- San Joaquin River: Historical Analysis of Diazinon with Implications for Exceeding Water Quality Targets, 1-19
- Steelhead Trout: Habitat Associations of, Near the Southern Extent of Their Range, 81-95
- Striped Bass: Mark Loss Rate in Hatchery-Reared, in the Sacramento-San Joaquin Estuary, California, 128-138
- Trout, Coastal Cutthroat: Fecundity and Recruitment Potential of, in Oregon and Washington, 107-127
- Tuberculosis, Avian: New Host Record of, in an American White Pelican, 152-154
- Vegetation Change: Forty-one Years of, on Permanent Transects in Northeastern California, 55-71

Water Temperatures: Physiological Performance of Golden Trout at Water Temperatures of 10-19°C, 20-29

White Sharks: A Temporal, Sex-Specific Occurrence Pattern at the South Farallon Islands, California 96-101

White Sharks: Occurrence of, at the Point Reyes Headlands, California, 187-196

SCIENTIFIC NAMES

- Abies concolor*, 157
- Accipter striatus*, 75
- Agelaius phoeniceus*, 78
- Agkistrodon piscivorus*, 51
- Aimophila ruficeps*, 77
- Aix sponsa*, 75
- Alnus rhombifolia*, 73, 82
- Alosa sapidissima*, 32
- Ameiurus catus*, 32
- Ameiurus nebulosus*, 32
- Anas platyrhynchos*, 75
- Aphelocoma californica*, 76
- Ardea alba*, 75
- Ardea herodias*, 75
- Artemesia tridentata*, 57, 60
- Aspergillus niger*, 153
- Aspergillus spp.*, 153
- Baeolophus inornatus*, 76
- Balsamorhiza sagittata*, 57
- Bayliscares procyonis*, 46
- Bombycilla cedrorum*, 77
- Bromus tectorum*, 57, 60
- Buteo jamaicensis*, 75
- Buteo lineatus*, 75
- Callipepla californica*, 75
- Calocedrus decurrens*, 157
- Calypte anna*, 75
- Canis latrans*, 103
- Carcharodon carcharias*, 96, 187
- Carpodacus lawrencei*, 78
- Carpodacus mexicanus*, 78
- Carpodacus psaltria*, 78
- Carpodacus purpureus*, 78, 175
- Carpodacus tristis*, 78
- Cathartes aura*, 75
- Catharus guttatus*, 77, 75

Catostomus occidentalis, 32
Ceanothus prostratus, 57, 60, 61
Centrocercus urophasianus, 63
Cercocarpus ledifolius, 57
Certhia americana, 76, 175
Chamaea fasciata, 77
Chamaebatia foliolosa, 157
Charadrius vociferus, 75
Chondestes grammacus, 77
Chrysothamnus spp., 57, 60, 61
Colaptes auratus, 76, 175
Contopus sordidulus, 76, 175
Corvus brachyrhynchos, 76
Cottus aleuticus, 32
Cottus asper, 32
Crangonyx floridanus, 197, 199
Crangonyx pseudogracilis, 197, 199
Crangonyx richmondensis, 197
Crotalis tortugensis, 51
Crotalus adamanteus, 52
Crotalus atrox, 52
Crotalus basilicus, 5
Crotalus catalinensis, 51
Crotalus durissus terrificus, 51
Crotalus durissus, 51
Crotalus horridus, 51
Cyanocytta stelleri, 76, 175
Daphnia magna, 178
Dendroica coronata, 77, 175
Dendroica nigrescens, 77, 175
Dendroica occidentalis, 175
Dendroica petachia, 77
Dendroica sp., 175
Dendroica townsendi, 77
Empidonax difficilis, 76, 175
Empidonax hammondi, 175
Empidonax oberholseri, 175
Euphagus cyanocephalus, 78
Falco sparverius, 75
Gasterosteus aculeatus, 32
Geothlypis trichas, 77
Hesperoleucus, 32
Hyaella azetca, 197, 199
Icterus bullockii, 78

- Junco hyemalis*, 78, 175
Juniperus occidentalis, 57, 60, 61
Lampetra tridentata, 32
Larus argentatus, 146
Larus delawarensis, 146
Larus heermanni, 146
Larus occidentalis, 146
Lavinia symmetricus, 32
Lepomis cyanellus, 32
Lepomis macrochirus, 129
Lutjanus colorado, 202
Lutjanus novemfasciatus, 201
Lutjanus peru, 202
Melanerpes formicivorus, 76
Melegris gallopavo, 75
Melospiza lincolni, 78
Melospiza melodia, 78
Micropterus salmoides, 32, 129
Mimus polyglottos, 77
Mirounga angustirostris, 187
Molothrus ater, 78, 175
Morone saxatilis, 128
Mycobacterium avium, 153
Myiarchus cinerascens, 76
Notemigonus crysoleucas, 32
Odocoileus hemionus hemionus, 57
Oncorhynchus clarki clarki, 107-108
Oncorhynchus clarki, 32
Oncorhynchus gorbuscha, 26, 32, 122
Oncorhynchus keta, 32
Oncorhynchus kitsutch, 32, 119
Oncorhynchus mykiss aguabonita, 20
Oncorhynchus mykiss aquilarum, 25
Oncorhynchus mykiss whitei, 20
Oncorhynchus mykiss, 32, 81, 122
Oncorhynchus nerka, 26, 122
Oncorhynchus tshawytscha, 32, 122, 176
Ondatra zibethica, 51
Oporonis tolmiei, 175
Passerella iliaca, 78
Passerina amoena, 77, 175
Pelecanus erythrorhynchos, 152
Pelecanus occidentalis californicus, 152
Peromyscus dickeyi, 51

- Peromyscus leucopus*, 51
Peromyscus slevini, 51
Phaeucticus melanocephalus, 77, 175
Phoca vitulina richardsi, 191
Picoides albolarvatus, 175
Picoides nuttallii, 76
Picoides pubescens, 76, 175
Pinus lambertiana, 157
Pinus ponderosa, 57, 60, 157
Pipilo crissalis, 77
Pipilo maculatus, 77, 175
Piranga ludoviciana, 77, 175
Pituophis catenifer affinis, 139
Platanus racemosa, 82
Pleuroncodes planipes, 146
Poa, 57
Poecile gambeli, 175
Poecile rufescens, 175
Polioptila caerulea, 77
Pomoxis nigromaculatus, 129
Porocephalus clavatus, 51
Porocephalus crotali, 51
Porocephalus stilesi, 51
Procambarus clarkii, 141
Procyon lotor, 46
Prunus spp., 57
Psaltiriparus minimus, 76, 175
Pseudotsuga menziesii, 157
Ptychocheilus grandis, 30
Ptychocheilus oregonensis, 32
Purshia tridentata, 57, 60, 61
Quercus garryana, 73
Quercus kelloggii, 156
Quercus lobata, 73
Quercus spp., 82
Quercus wizlenzii, 73
Rana catesbeiana, 139
Regulus calendula, 175
Rhinichthys osculus, 32
Rubus, procercus var. *himalaya*, 73
Salix spp., 73
Salmo salar, 26
Salmo trutta, 26
Savelinus fontinalis, 129

- Savelinus namaycush*, 129
Sayornis nigricans, 76
Sayornis saya, 76
Sialia mexicana, 77
Sigmodon hispidus, 51
Sitta carolinensis, 175
Sitta canadensis, 76, 175
Sphyrapicus rubus, 175
Spizella passerina, 77, 175
Stelgidopteryx serripennis, 76
Stizostedion vitreum, 129
Sturnella neglecta, 78
Sturnus vulgaris, 77
Tachycineta bicolor, 76
Tachycineta thalassina, 76
Thamnophis atratus hydrophilus, 139
Thamnopsis eques, 141
Thamnopsis gigas, 139
Thryomanes bewickii, 76
Troglodytes aedon, 76
Turdus migratorius, 77, 175
Tyrannus verticalis, 76
Umbellularia californica, 82
Vermivora celata, 77, 175
Vermivora ruficapilla, 77, 175
Vireo cassinii, 76, 175
Vireo gilvus, 76, 175
Vireo huttoni, 76, 175,
Vulpes macrotus mutica, 102
Vulpes vulpes, 103
Wilsonia pusilla, 77, 175
Wyethia mollis, 57
Zalophus californianus, 187
Zenaida macroura, 75
Zonotrichia atricapilla, 77, 175
Zonotrichia leucophrys, 78



